



## COLOCLEAN

Anti-bacteria satin emulsion paint based on an acrylic resin

INTERIOR



### DESCRIPTION

Washable satin emulsion paint based on an acrylic resin. Contains titanium dioxide, calcium carbonate and water and a special bactericide. Developed for the health sector. Efficient against the various bacteria found in hospitals. Conform to ISO 22196:2011.

### FIELD OF USE

All types of walls and ceilings.

### TECHNICAL CHARACTERISTICS

- Aspect : Smooth, satin finish.
- Colors : Delivered in white.
- Spreading-rate : 10 to 12 m<sup>2</sup>/Kg.
- Density : 1.20 kg/l +/- 0.05 at 25°C.
- Viscosity : 120 KU +/- 5 at 25°C.

### SURFACE PREPARATION

For easy application and optimum performance the surface needs to be clean, sound and dry before rendering :

- \* Sand vigorously with a Chiendent brush.
- \* Sand with sandpaper
- \* Remove the dust.
- \* Wash with a water-jet if necessary.

### APPLICATION PROPERTIES

Do not apply on cold, wet walls below 5°C or in conditions of high relative humidity, greater than 70%.

Substrate conditions : Sound, dry and well prepared.

Surface preparation : Smooth, clean, dust-free surfaces should be prepared.

Application : Brush or roller.

Generally, two coats are applied: 1st coat diluted 5% and 2nd coat no dilution.

### DRYING TIME

Drying time at 20°C and 60% relative humidity :

- \* Touch dry : 30 min
- \* Dry : 2 hours
- \* Recoatable after a minimum 4 hours.

### RECOMMENDED SYSTEM

#### ■ INTERIOR

SYSTEM	NUMBER OF COATS
COLOPRIM	1
SUPER PATENDUIT SP88	2
COLOSTOP	1
COLOPRIM	1
COLOCLEAN	2

### STORAGE

Two years in the closed paint can, as delivered. Store inside in conditions avoiding extremes of hot and cold temperatures.

### PACKAGING

25 Kg.

### HEALTH & SAFETY

This product is not classified as dangerous under current regulations.

For more details, consult the safety data sheet N° 152.