

Stella

Nacré & Scintillant




COLORADO

60 ans d'inspiration

1962 - 2022



COLORADO



Extra Blanc



ST 12 - Neutre*

* Disponible en 1kg, 10kg et 20kg


* متوفر في الأحجام التالية 1 كلغ و 10 كلغ و 20 كلغ

Stella

Silver



ST 08



ST 22



ST 21




ST 07



ST 24



ST 11




ST 01

ستيل فضية



ST 25



ST 26




ST 27



ST 03




ST 13




ST 20



ST 14



ST 04



ST 19



ST 06




ST 05



ST 10




ST 09




ST 18



ST 02




ST 17



ST 23



ST 16




ST 15




Stella


Gold



STG 28




STG 29



STG 31




STG 33




STG 32

ستيل

ذهبية



STG 40



STG 30



STG 41




STG 39




STG 34




STG 36



STG 37



STG 35



STG 38

Stella

Nacré & Scintillant

ستيليا دهان تزييني داخلي مائي ذو مظهر براق و لؤلؤي، يعطي لفضائك جوا مريحا و أنيقا.

Stella est une peinture décorative à base d'eau, nacré et scintillante à la poudre de diamant. Elle procure à vos intérieurs des effets chics et une atmosphère douce.

Stella is a decorative painting water-based, metallic, sparkling with diamond powder. It gives your interiors stylish effects and a gentle atmosphere.

طريقة الإستعمال :

يجب تهيئ الجدار.

1. طلاء طبقة من الكولوفونديو و يترك يجف لمدة 12 ساعة.
2. طلاء طبقة من دهان التزيين ستيليا (مخفف بالماء حتى نسبة 20 %)، تترك لتجف لمدة 6 ساعات.
3. طلاء طبقة ثانية حتى طبقة ثالثة من ستيليا (مخفف بالماء حتى نسبة 20 %).
4. مباشرة نقوم بتلميس السطح بواسطة طالوش بلاستيكي أو مالج بطريقة دائرية.

METHODE D'APPLICATION :

Préparer les murs.

- 1 Appliquer une couche de COLOFONDO et laisser sécher pendant 12 heures.
- 2 Appliquer la 1ère couche de STELLA (diluée à l'eau jusqu'à %20) et laisser sécher pendant 6 heures.
- 3 Appliquer une 2ème couche de STELLA et éventuellement une 3ème couche (diluées jusqu'à %20 avec l'eau).
- 4 Immédiatement après, lisser la surface à l'aide d'une taloche plastique avec des mouvements circulaires.

APPLICATION PROPERTIES :

Prepare the walls.

- 1 Apply a first coat of COLOFONDO and let it dry for 12 hours.
- 2 Apply one coat of STELLA (diluted with water to %20) and let it dry for 6 hours.
- 3 Apply a second coat and optionally a third coat (diluted with water to %20).
- 4 Immediately smooth the surface in a circular motion.



Dilution



التخفيف

يمكن تخفيفه بالماء حتى نسبة 20 %
Diluer jusqu'à %20
Dilute up to %20

Aspect



المظهر

براق و لؤلؤي
Nacré et scintillant
Metallic and sparkling

Séchage



التجفيف

6 ساعات - الطبقة الثانية : 6 ساعات
6 heures - 2ème couche : 6 heures
6 hours - 2nd coat : 6 hours

Rendement



المرودية

4 م²/كغ (طبقتين)
4 m²/Kg (2 couches)
4 sqm/kg (2 coats)

Matériel
d'application



أدوات
الإستعمال

طالوش توارك ، ستيليا - لفيقة
Taloche Touareg, Stella et rouleau poils courts
Plastic rendering trowel and short pile roller



5. ممر الأوريجدي، عين السبع الدار البيضاء - المغرب.
Colorado S.A. : 5, Allée des Orchidées
Ain Sebaa - Casablanca - Maroc
Tél. : +212 (0) 522 35 23 35
www.colorado.ma

f /coloradopeinture

t /coloradomarc

ig /colorado_paints_officiel

N° Eco 0801008283